



R10IB3S-OFT2 10.4" Panel PC (Intel® Celeron® Bay Trial-M N2930 1.83GHz)

Mechanical Design




- 1.RS232/422/485 (default RS232)
- 2.USB
- 3.HDMI
- 4.2xRJ45
- 5.DC-in 12V
- 6.RS232
- 7.Brightness/Adjustment

Open Frame

Mechanical design

Fully Integrated I/O

Dimensions



- * Measurements shown in mm
- * Tolerance of all dimensions is shown as follow 0~30 mm ± 0.1 mm, 30~50 mm ± 0.15 mm, 50~120 mm ± 0.2 mm, above 120 mm ± 0.25mm
- * Note: this is a simplified drawing and some components are not marked in detail. Please contact our sales representative if you need further product information.

Specifications

System :

- CPU : Intel® Celeron® Bay Trial-M N2930 1.83GHz
- Memory Slot : DDR3 1066 MHz SO-DIMM Slot, Max. 8GB
- System Chipset : Intel ATOM SoC Integrated
- IDE/SATA : 1 x SATA II
- LAN : Intel WG82574L GbE LANx2
- Audio Codec : Realtek ALC886 HD Audio Codec

Panel Spec :

- Size/Type : 12.1" TFT
- Resolutions : 800 x 600
- Brightness : 400 cd/m² (typ.)
- Contrast Ratio : 500 : 1(typ.)
- Viewing Angles : -70~70(H);-50~60(V)
- Max Colors : 16.2M colors

Input / Output :

- Serial Ports : 1 x RS-232, 1 x RS-232/422/485
- USB Ports : 1 x USB 3.0, 1 x USB 2.0
- Ethernet : 2 x RJ45-10/100/1000 Mbps
- HDMI : 1 x HDMI
- Power : 1 x DC-in Power Jack(+12V)

Environment Considerations :

- Operating Temperature : -10 deg.C to 50 deg.C
- Operating Humidity : 30% to 90% (non condensing)

OS BSP / Driver Support :

- Support Windows Embedded 8* / Windows Embedded 7

* For Windows Embedded 8, this panel PC supports the Metro UI, but does not support the Snap View feature

Expansion Slot :

- 2 x Mini PCIe (1 for WiFi, 1 for SATA SSD)

Power Specifications :

- Power Input : 12V DC IN (Lockable Power Jack)
- Power Consumption : 35W (typ.)(Max.backlight & high CPU load)

Accessories :

- External Adapter : 110~230V Ac-in Power Adapter

Order Options :

Mechanical : Open Frame	Storage : 2.5" HDD/ mSATA
Touch : 5-Wires Resistive(Optional) AR Glass (Optional)	RAM : DDR3 1066 Max 8GB
(A customized housing is needed if you have demands of SAW/IR/IT/SC touch)	OS : Windows Embedded 8 / Windows Embedded 7



Rev.	Reasons	Revised Date
1.0	New Release	Apr.01.14
1.1	Spec change	Apr.15.14

Note: All Specifications are subject to change without prior notice!

Revised Date:04/15/2014