

Product Catalog 2016

IP65/67/68 Enhanced Foil Keyboard



TABLE OF CONTENTS

TABLE OF CONTENTS	2
IP65/67/68 ENHANCED FOIL KEYBOARD IP65 INDUSTRIAL MEMBRANE KEYBOARD	3
PRI-KYB-D80NKP-19	4
PRI-KYB-D80NKP-AC-19	5
PRI-KYB-D80NKP-25-AC-L	6
PRI-KYB-D80NKP-25-L	7
PRI-KYB-D100NKP-16	8
PRI-KYB-D100NKP-16-AC	9
PRI-KYB-D119NKP-24	10
PRI-KYB-D119NKP-24-AC	11
PRI-KYB-D159NKP-28	12
PRI-KYB-D159NKP-28-AC	13
PRI-KYB-D200-FNK	14
PRI-KYB-D224	15
PRI-KYB-D320NKP-FNK	16
PRI-KYB-D321NKP-FNK	17
PRI-KYB-D321-TB-NKP-FNK	18
PRI-KYB-D321RTP-NKP-FNK	19
PRI-KYB-D379RTP-NKP-FNK	20
PRI-KYB-D410NKP-FNK	21
PRI-KYB-D410-OTBM-NKP-FNK	22
PRI-KYB-D410-LTBM-NKP-FNK	23
PRI-KYB-D410RTP-NKP-FNK	24
PRI-KYB-D418-MTB-NKP	25
PRI-KYB-D418-OTBM-NKP	26
PRI-KYB-D275RTP-FNK	27
PRI-KYB-D275RTP-FNK-MDT	28
PRI-KYB-D321NKP-FNK-MDT	29
PRI-KYB-D321RTP-NKP-FNK-MDT	30
PRI-KYB-D321-OTBM-NKP-FNK	31
PRI-KYB-D343RTP-FNK	32
PRI-KYB-D396RTP-NKP-FNK-MDT	33
PRI-KYB-D396-OTBM-NKP-FNK-MDT	34
PRI-KYB-D396NKP-FNK-MDT	35
PRI-KYB-D399NKP-FNK-MDT	36
PRI-KYB-D399RTP-NKP-FNK-MDT	37

IP65/67/68 ENHANCED FOIL KEYBOARD

IP65 INDUSTRIAL MEMBRANE KEYBOARD

SPECIFICATION KEYBOARD:

- Key switch Technology: metal dome key switch technology with short travel keys
- Actuation Force: 1.0N for key 11.0mm x 11.0mm and 14.0mm x 14.0mm (press point)
- Key Travel: 0.45mm
- Key switch Lifetime: 3 mil. operations
- Protection Level: IP65, NEMA 4x
- Mounting Type: panel mounting or Desk Top.
- Operating Temperature: -20 °C to +50 °C;
- Colors: 4 (Blue, white, grey, black)
- Key Dimensions (print area): 11.0mm x 11.0mm or 14.0mm x 14.0mm

TOUCHPAD:

- Touchpad cover: Composite
- Motion Detection
- Method: capacitive
- Resolution: 40 counts / mm
- More than Lifetime 10 million strokes
- Mutual Capacitance sensing
- X/Y position sensing resolution: 40 counts/mm
- X/Y position reporting: Relative
- Output (self-detectable depending on cable): PS2 or USB
- Tracking speed: Maximum 1,016 m/sec
- Power supply voltage: 5 V DC $\pm 0.25V$
- Current rating (active mode): 17 ma

ELECTRICAL DATA:

- Supply Voltage: +5V DC +/- 5%
- Current Rating: appr. 20mA
- EMC Standard: It is compliance with the council EMC directive 89/336/EECEN55022: 1988+A1: 2000+A2: 2003 EN55024: 1988+A1: 2001+A2: 2003
- Emission EN 50081-1
- Immunity: EN 50082-1
- Lifespan > 5 years
- Interface: PS2, USB available.
- **OS: Window95/98/NT/ME/2000/2003/XP/Vista/WIN7, Linux, Unit, Mac OSX**

RELIABILITY

- **RoHS Compliant, CE and FCC,ESD**
- Protection Level: IP65 (front panel)
- Key Lifespan >3 million actuations
- Touchpad lifespan > 10 million of times
- MTBF >50000H
- MTTR <30min

PRI-KYB-D80NKP-19

DESCRIPTION: 19 keys IP65 dynamic rated compact format industrial membrane numeric keypad with industrial PCB with long lifespan OMRON switch technology design, ruggedized aluminum front plate mounted flush with durable polyester withstand to most chemicals and liquids under the harshest environments, with anti-microbial keyboard surface, top panel mounting solution

APPLICATIONS:

This keyboard with numeric pad allows for easy data entry, with below wide applications: MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipment, operation rooms, dialysis centers etc;

MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc

INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses etc

OTHER INDUSTRIE


MAIN FEATURES:

- Keyboard provides a rugged, compact design, rugged construction for reliable functionality
- The durable polyester-covered aluminum front plate is mounted flush for easy cleaning.
- The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

- PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile



- **Number of Keys:** 19
- **G.W.:** 0.8 kgs
- **Dimensions:** 80.0mm x 143.0mm(Front Panel)

PRI-KYB-D80NKP-AC-19

DESCRIPTION: 19 keys IP65 dynamic compact format industrial membrane dot matrix keypad, industrial OMRON switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution, dot matrix keypad.

APPLICATIONS:

This keyboard with numeric pad allows for easy data entry, with below wide applications:

MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipments, operation rooms, dialysis centers etc;

MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc

INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses etc

OTHER INDUSTRIES

MAIN FEATURES:


Keyboard provides a rugged, compact design, rugged construction for reliable functionality

The durable polyester-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 19
- **G.W.:** 0.6 kgs
- **Dimensions:** 80.0mm x 143.0mm (L x W)

PRI-KYB-D80NKP-25-AC-L

DESCRIPTION: 25 keys IP65 dynamic compact format industrial membrane dot matrix keypad, industrial OMRON switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution, dot matrix keypad.

DIMENSIONS: 80.0mm x 178.0mm (top panel)

APPLICATIONS:

This keyboard with numeric pad allows for easy data entry, with below wide applications:

MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipments, operation rooms, dialysis centers etc;

MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc

INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses etc

OTHER INDUSTRIES

MAIN FEATURES:


Keyboard provides a rugged, compact design, rugged construction for reliable functionality

The durable polyester-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 25
- **G.W.:** 0.8 kgs
- **Dimensions:**80.0mm x 178.0mm(Front Panel)

PRI-KYB-D80NKP-25-L

DESCRIPTION: 25 keys IP65 dynamic compact format industrial membrane keypad, industrial OMRON switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm alumium plate with sand blasting & oxygenation treatment, with top panel mounted solution.

APPLICATIONS:

This keyboard with numeric pad allows for easy data entry, with below wide applications:

MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipments, operation rooms, dialysis centers etc;

MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc

INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses etc

OTHER INDUSTRIES

MAIN FEATURES:

Keyboard provides a rugged, compact design, rugged construction for reliable functionality


The durable polyester-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile..



- **Number of Keys:** 25
- **G.W.:** 0.8 kgs
- **Dimensions:** 80.0mm x 178.0mm(Front Panel)

PRI-KYB-D100NKP-16

DESCRIPTION: 16 keys compact format IP65 dynamic membrane industrial keypad with industrial metal dome PCB electronics controller protected and shielded by stainless steel housing, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial functionality, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

APPLICATIONS:

This keyboard with numeric pad allows for easy data entry, with below wide applications:

MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipment, operation rooms, dialysis centers etc;

MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc

INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses etc

OTHER INDUSTRIES

MAIN FEATURES:

Keyboard provides a rugged, compact design, rugged construction for reliable functionality

The durable polyester-covered aluminum front plate is mounted flush for easy cleaning.



The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile..

- **Number of Keys:** 16
- **G.W.:** 0.5 kgs
- **Dimensions:**100.0mmx100.0mm(Front Panel)



PRI-KYB-D100NKP-16-AC

DESCRIPTION: 16 keys compact format IP65 dynamic membrane industrial matrix keypad with industrial metal dome PCB with socket on the back panel for connecting electronics controller, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial functionalities, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environment, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

APPLICATIONS:

This keyboard with numeric pad allows for easy data entry, with below wide applications:

MEDICAL: lab, hospital, clinic, dental, such as carts, diagnostic equipment, operation rooms, dialysis centers etc;

MATERIAL HANDLING: mobile keyboard, data entry, assembly line etc

INDUSTRIAL: Industrial automation, pharmaceutical, oil and gas, food and beverage, clean or dirty manufacturing environments, warehouses etc

OTHER INDUSTRIES

MAIN FEATURES:

Keyboard provides a rugged, compact design, rugged construction for reliable functionality

The durable polyester-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.




PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile..



- **Number of Keys:** 16
- **G.W.:** 0.5 kgs
- **Dimensions:** 100.0mmx100.0mm(Front Panel)



PRI-KYB-D119NKP-24

DESCRIPTION: 24 keys compact format IP65 dynamic membrane industrial keypad with industrial metal dome PCB electronics controller protected and shielded by stainless steel housing, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial functionality, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

DIMENSIONS: 119.0mm x 90.0mm (top panel)

MAIN FEATURES:

Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality


The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



PRI-KYB-D119NKP-24-AC

DESCRIPTION: 24 keys compact format IP65 dynamic membrane industrial matrix keypad with industrial metal dome PCB with socket on the back panel for connecting electronics controller, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial functionalities, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

DIMENSIONS: 119.0mm x 90.0mm (top panel)

MAIN FEATURES:

Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality


The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



PRI-KYB-D159NKP-28

DESCRIPTION: 28 keys compact format IP65 dynamic membrane industrial keypad with industrial metal dome PCB electronics controller protected and shielded by stainless steel housing, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial functionality, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

DIMENSIONS: 159.0mm x 104.0mm (top panel)

MAIN FEATURES:

Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality



The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



PRI-KYB-D159NKP-28-AC

DESCRIPTION: 28 keys compact format IP65 dynamic membrane industrial matrix keypad with industrial metal dome PCB with socket on the back panel for connecting electronics controller, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, surface mounted extremely flush with anti-microbial functionalities, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

DIMENSIONS: 159.0mm x 104.0mm (top panel)

MAIN FEATURES:

Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality



The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



PRI-KYB-D224

DESCRIPTION: 47 keys IP65 dynamic compact format industrial membrane keyboard with integrated function keys on the upper line for easy operation, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take away the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

DIMENSIONS: 224.0mm x 110.0mm (top panel)

MAIN FEATURES:

Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality. The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.


This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 47

- **G.W.:** 1.50 kgs

Dimensions: 224.0mm x 110.0mm (top panel)



PRI-KYB-D320NKP-FNK

DESCRIPTION: 97 keys compact format IP65 dynamic membrane industrial keyboard with integrated numeric keypad, function keys (F1, F2...F11, F12) on the upper line for easy operation, industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with CLEAN key for easy cleaning via lock/disable the entire keyboard without needing to take away the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

MAIN FEATURES:


Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality. The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.


PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 97
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 0.80 kgs
- **DIMENSIONS:** 320.0mm x 125.0mm (top panel)



PRI-KYB-D321NKP-FNK


DESCRIPTION: 107 keys IP65 dynamic rated compact format industrial membrane keyboard with integrated numeric keypad and function keys on the upper line for easy operation, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take away the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 107
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.00 kgs
- **Dimensions:** 321.0mm x 139.0mm(Front Panel)



PRI-KYB-D321-TB-NKP-FNK

DESCRIPTION: 107 keys IP65 dynamic rated compact format industrial membrane keyboard with full keyboard functionality with integrated numeric keypad and function keys on the upper line, with stainless steel trackball module for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, top panel mounted. Trackball module with below 3 different protection versions: IP65 static 38.0mm mechanical trackball module with +400 DPI resolutions. IP68 dynamic 38.0mm optical trackball module with +800 DPI resolutions. IP68 dynamic 38.0mm laser trackball module with +1200 DPI resolutions.

MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 107


- **Clean key**

-Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime

-User is notified of 'lock down mode' by brightly lit CLEAN KEY

- **G.W.:** 1.30 kgs

- **Dimensions:** 321.0mm x 139.0mm(Front Panel)



PRI-KYB-D321RTP-NKP-FNK


DESCRIPTION: 107 keys IP65 dynamic rated compact format industrial membrane keyboard with integrated numeric keypad and function keys on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacity touch pad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 107
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.00 kgs
- **Dimensions:** 321.0mm x 139.0mm (Front Panel)



PRI-KYB-D379RTP-NKP-FNK

DESCRIPTION: 118 keys IP65 dynamic rated industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad and 24 function keys (F1, F2...F11, F12...F22, F23, F24) on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, top panel mounted.


MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 118
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.20 kgs
- **Dimensions:** 389.00mm x 175.00mm (Front Panel)

Product Name		IP Rate	
PRI-KYB-D379RTP-NKP-FNK	Keyboard; Touchpad; Numeric Keypad; Function keys	PS/2;USB	IP65 Dynamic
Other language versions/interfaces/configuration available on request			




PRI-KYB-D410NKP-FNK

DESCRIPTION: 107 keys IP65 dynamic rated industrial membrane keyboard with integrated numeric keypad and function keys on the upper line, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.


MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 107
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.30 kgs
- **Dimensions:** 410.0mm x 160.0mm (Front Panel)

Product Name			IP Rate
PRI-KYB-D410NKP-FNK	Keyboard; Numeric Keypad; Function keys	PS/2;USB	IP65 Dynamic
Other language versions/interfaces/configuration available on request			



PRI-KYB-D410-OTBM-NKP-FNK

DESCRIPTION: 108 keys IP65 dynamic rated industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad and function keys on the upper line, IP68 dynamic rated washable 38.0mm optical trackball module with 800 DPI resolutions for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, top panel mounted.


MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with IP68 optical trackball. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 108
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.60 kgs
- **Dimensions:** 410.0mm x 160.0mm (Front Panel)

Product Name			IP Rate
PRI-KYB-D410-OTBM-NKP-FNK	Keyboard; IP68 optical trackball; Numeric Keypad; Function keys	PS/2;USB	IP65 Dynamic
Other language versions/interfaces/configuration available on request			




PRI-KYB-D410-LTBM-NKP-FNK

DESCRIPTION: 108 keys IP65 dynamic rated industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad and function keys on the upper line, IP68 dynamic rated washable 38.0mm laser trackball module with +1200 DPI resolutions for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, top panel mounted.



- **Number of Keys:** 108
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.50 kgs
- **DIMENSIONS:** 410.0mm x 160.0mm (top panel)



PRI-KYB-D410RTP-NKP-FNK

DESCRIPTION: 107 keys IP65 dynamic rated industrial membrane keyboard with integrated numeric keypad and function keys on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.


MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile



- **Number of Keys:** 107
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.30 kgs
- **Dimensions:** 410.0mm x 160.0mm (Front Panel)

Product Name		IP Rate	
PRI-KYB-D410RTP-NKP-FNK	Keyboard; touchpad; Numeric Keypad; Function keys	PS/2;USB	IP65 Dynamic
Other language versions/interfaces/configuration available on request			



PRI-KYB-D418-MTB-NKP


Description: 121 keys IP65 dynamic rated industrial membrane keyboard with full keyboard functionality with integrated numeric keypad, with 38.0mm mechanical trackball module with 400 DPI resolutions for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, top panel mounted.

MAIN FEATURES:


Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality. The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations. Ease of customizing with multiple languages, to accommodate foreign or custom variants. This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 121
- **G.W.:** 1.30 kgs
- **Dimensions:** 418.5mm x 310.0mm (top panel)




PRI-KYB-D418-OTBM-NKP

DESCRIPTION: 121 keys IP65 dynamic rated industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad, IP68 dynamic rated washable 38.0mm optical trackball module with 800 DPI resolutions for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, top panel mounted.



- **Number of Keys:** 121
- **G.W.:** 1.50 kgs
- **DIMENSIONS:** 418.5mm x 310.0mm (top panel)

Product Name			IP Rate
PRI-KYB-D418-OTBM-NKP	Keyboard; Optical trackball with 800 DPI; Numeric Keypad;	PS/2; USB	IP68 Dynamic
PRI-KYB-D418-LTBM-NKP	Keyboard; Laser trackball with 1200 DPI; Numeric Keypad;	PS/2; USB	IP68 Dynamic
Other language versions/interfaces/configuration available on request			




PRI-KYB-D275RTP-FNK

DESCRIPTION: 88 keys IP65 dynamic rated compact format industrial membrane keyboard with integrated numeric keypad and function keys on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile good feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.

DIMENSIONS: 275.0mm x 169.60mm (top panel)



Product Name		IP Rate	
PRI-KYB-D275RTP-FNK	Keyboard; Numeric Keypad; Function keys;	PS/2;USB	IP65 Dynamic
Other language versions/interfaces/configuration available on request			




PRI-KYB-D275RTP-FNK-MDT

DESCRIPTION: 89 keys compact format IP66 rated membrane industrial keyboard with integrated numeric keypad and function keys FN (F,F2...F11, F12) on the upper line for easy operation, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with FN + CLEAN combination key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial functionalities, the fonts printed on the film underneath will never fade, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate with sand blasting & oxygenation treatment, VESA mountable desk top version with robust ABS polycarbonate case, industrial level.

MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



Product Name		IP Rate
PRI-KYB-D275RTP-FNK-M DT	Keyboard; Numeric Keypad; Function keys; desktop version	PS/2;USB IP65 Dynamic
Other language versions/interfaces/configuration available on request		

PRI-KYB-D321NKP-FNK-MDT

DESCRIPTION: 106 keys IP68 dynamic rated washable compact format industrial membrane keyboard with integrated numeric keypad and function keys on the upper line, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, movable stand alone desk top version with sealed aluminum metal housing with sand blasting & oxygenation surface treatment.


MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 106
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.20 kgs
- **Dimensions:** 355.0mm x 170.0mm x 19mm(Front Panel)

Product Name			IP Rate
PRI-KYB-D321NKP-FNK-MDT	Keyboard; Numeric Keypad; Function keys; desktop version	PS/2;USB	IP68 Dynamic
Other language versions/interfaces/configuration available on request			



PRI-KYB-D321RTP-NKP-FNK-MDT

DESCRIPTION: 108 keys IP68 dynamic rated washable compact format industrial membrane keyboard with full keyboard functionality with integrated numeric keypad and function keys on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate, movable stand alone desk top version with sealed aluminum metal housing with sand blasting & oxygenation surface treatment.


MAIN FEATURE:

- The foil-covered aluminum front plate is mounted flush for easy cleaning. The polyester front foil is wear-and tear-resistant and can withstand most chemicals and liquids. The keyboard is protected against dust, dirt, grease and liquids to IP65/NEMA4 and is available in PS/2 and USB versions. Custom keyboard layouts or imprints are available upon request.
- This keyboard is available in different keyboard layouts with integrated capacitive touchpad. This stylish, yet rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.



- **Number of Keys:** 108
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.20 kgs
- **Dimensions:** 355.0mm x 139.0mm x 19mm(Front Panel)

Product Name			IP Rate
PRI-KYB-D321RTP-NKP-FNK-MDT	Keyboard; Touchpad; Numeric Keypad; Function keys, Desktop version	PS/2;USB	IP68 Dynamic
Other language versions/interfaces/configuration available on request			




PRI-KYB-D321-OTBM-NKP-FNK

DESCRIPTION: 107 keys compact format IP65 dynamic rated membrane industrial keyboard with full keyboard functionality, with integrated numeric keypad and function keys on the upper line, IP68 dynamic rated washable 25.0mm optical trackball module with 800 DPI resolutions for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with CLEAN key for easy cleaning via lock/disable the entire keyboard without needing to take away the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, with top panel mounted solution.



- **Number of Keys:** 107
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.50 kgs
- **DIMENSIONS:** 321.0mm x 139.0mm (top panel)




PRI-KYB-D343RTP-FNK

DESCRIPTION: 81 keys compact format IP65 dynamic rated membrane industrial keyboard with function keys on the upper line and IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with CLEAN key for easy cleaning via lock/disable the entire keyboard without needing to take away the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminium plate with sand blasting & oxygenation treatment, with top panel mounted solution.



- **Number of Keys:** 81
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.20 kgs
- **Dimensions:** 343.0mm x 125.0mm (top panel)



PRI-KYB-D396RTP-NKP-FNK-MDT

DESCRIPTION: 108 keys IP68 dynamic rated washable industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad and function keys on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with excellent good tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, mountable movable desk top version with robust poly carbonate case.


MAIN FEATURE:

- Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality.
- The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.
- Special dura-coating for excellent mechanical and chemical resistance
- With firm tactile key feel, 0.45mm key travel.
- Integrated touchpad.
- Integrated numeric keypad.
- Optical IP68 trackball mouse available
- Ease of customizing with multiple languages, to accommodate foreign or custom variants.
- PS/2, USB connection cables that plug directly into computer like keyboard operations.
- Enclosure: polystyrene, ABS Poly carbonate Case
- Low-profile keys for easy cleaning
- Key life: 3 millions



- **Number of Keys:** 108
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.30 kgs
- **Dimensions:** 396.0mm x 150.0mm x 27.0mm(L x W x H)

Product Name			IP Rate
PRI-KYB-D396RTP-NKP-FNK-MDT	Keyboard; Touchpad; Numeric Keypad; Function keys; Mounting Desk Top keyboard	PS/2;USB	IP68 Dynamic
Other language versions/interfaces/configuration available on request			



PRI-KYB-D396-OTBM-NKP-FNK-MDT

DESCRIPTION: 108 keys IP68 dynamic rated washable industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad and function keys on the upper line, IP68 dynamic rated washable 16.0mm MINI optical trackball module with 800 DPI resolutions for fast and accurate position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm Aluminum plate with sand blasting & oxygenation treatment, mountable movable desk top version with robust poly carbonate case.

MAIN FEATURE:

- Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality.
- The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.
- Clean key
- -Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
- -User is notified of 'lock down mode' by brightly lit CLEAN KEY
- Special dura-coating for excellent mechanical and chemical resistance
- Surface touch-key,
- Optical IP68 trackball mouse available
- Integrated numeric keypad.
- Ease of customizing with multiple languages, to accommodate foreign or custom variants.
- PS/2, USB connection cables that plug directly into computer like keyboard operations.
- Enclosure: polystyrene, ABS Poly carbonate Case
- Low-profile keys for easy cleaning
- Key life: 3 millions

- **Number of Keys:** 108

- **Clean key**

- Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime


- User is notified of 'lock down mode' by brightly lit CLEAN KEY

- **G.W.:** 1.40 kgs

- **Dimensions:** 396.0mm x 150.0mm x 27.0mm (L x W x H)



Product Name			IP Rate
PRI-KYB-D396-OTBM-NK	Keyboard; IP68 Trackball; Numeric Keypad; Function keys; Mounting Desk	PS/2;USB	IP68 Dynamic
P-FNK-MDT	Top keyboard		
Other language versions/interfaces/configuration available on request			



PRI-KYB-D396NKP-FNK-MDT

DESCRIPTION: 107 keys compact format IP68 dynamic rated washable membrane industrial keyboard with integrated numeric keypad and function keys FN (F1,F2 F3 ... F11, F12) on the upper line, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely good tactile feeling for reliable data input, with CLEAN key for easy cleaning via lock/disable the entire keyboard without needing to take the keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 2.0mm aluminum plate, mountable movable desk top version with robust poly-carbonate case.

MAIN FEATURES:

Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality

The foil-covered aluminum front plate is mounted flush for easy cleaning.

The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.

PS/2, USB connection cables that plug directly into computer like keyboard operations.

Ease of customizing with multiple languages, to accommodate foreign or custom variants.

This stylish, rugged medical keyboard is ideal for any application requiring a rugged enclosure and low profile.

- **Number of Keys:** 107


- **Clean key**

-Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime

-User is notified of 'lock down mode' by brightly lit CLEAN KEY

- **G.W.:** 1.20 kgs

Dimensions: DIMENSIONS: 396.0mm x 150.0mm x (20.0mm-37.88mm) (L x W x H)



PRI-KYB-D399NKP-FNK-MDT


DESCRIPTION: 106 keys IP68 dynamic rated washable industrial membrane keyboard with integrated numeric keypad and function keys on the upper line, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with extremely tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm Aluminum plate with sand blasting & oxygenation treatment, standard alone movable desk top version with robust Poly-carbonate case.

MAIN FEATURE:

- Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality.
- The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.
- Special dura-coating for excellent mechanical and chemical resistance
- With firm tactile key feel, 0.45mm key travel.
- Integrated numeric keypad.
- Ease of customizing with multiple languages, to accommodate foreign or custom variants.
- PS/2, USB connection cables that plug directly into computer like keyboard operations.
- Enclosure: polystyrene, ABS Poly-carbonate Case
- Low-profile keys for easy cleaning
- Key life: 3 millions
- **Number of Keys:** 106
- **Clean key**
-Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
-User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.20 kgs
- **Dimensions:** 399.0mm x 150.0mm x 20.0mm(L x W x H)



Product Name			IP Rate
PRI-KYB-D399NKP-FNK-MDT	Keyboard; Numeric Keypad; Function keys; Desk Top keyboard	PS/2;USB	IP68 Dynamic
Other language versions/interfaces/configuration available on request			



PRI-KYB-D399RTP-NKP-FNK-MDT

DESCRIPTION: 108 keys IP68 dynamic rated washable industrial membrane keyboard with full keyboard functionalities with integrated numeric keypad and function keys on the upper line, IP65 dynamic sealed and ruggedized tough touchpad for fast and accurate cursor position, 2.0mm thickness industrial metal dome PCB with gold-on-gold metal dome key switch technology with short stroke 0.45mm with excellent tactile feeling for reliable data input, with Clean key for easy cleaning via lock/disable the entire keyboard without needing to take keyboard from PC, surface mounted extremely flush with anti-microbial, durable and scratch-proof polyester withstand to most chemicals and liquids under the harshest environments, ruggedized and backed with 3.0mm aluminum plate with sand blasting & oxygenation treatment, stand alone movable desk top version with robust poly carbonate case.

MAIN FEATURE:

- Keyboard provides full-size versatility in a rugged, compact design, rugged construction for reliable functionality.
- The keyboard lacks the crevices found between the keys of a regular keyboard, which is protected against dust, dirt, grease and corrosive liquids to NEMA 4X, which means it can withstand directed hose water, disinfectants, environmental contaminants and heavy industrial use.
- Special dura-coating for excellent mechanical and chemical resistance
- With firm tactile key feel, 0.45mm key travel.
- Integrated touchpad.
- Integrated numeric keypad.
- Ease of customizing with multiple languages, to accommodate foreign or custom variants.
- PS/2, USB connection cables that plug directly into computer like keyboard operations.
- Enclosure: polystyrene, ABS Poly carbonate Case
- Low-profile keys for easy cleaning
- Key life: 3 millions



- **Number of Keys:** 108
- **Clean key**
 - Prevents data from being sent while the keyboard is wiped down, allowing user to clean at any interval with minimal downtime
 - User is notified of 'lock down mode' by brightly lit CLEAN KEY
- **G.W.:** 1.30 kgs
- **Dimensions:** 399.0mm x 150.0mm x 20mm (L x W x H)

Product Name			IP Rate
PRI-KYB-D399RTP-NKP-FNK-MDT	Keyboard; Touchpad; Numeric Keypad; Function keys; Desk Top keyboard	PS/2; USB	IP68 Dynamic
Other language versions/interfaces/configuration available on request			

